

spirit of excellence

# Reach the Unreachable



# **TipControl**

The first articulating forceps for rigid bronchoscopy

# **TipControl**

# The first articulating forceps for rigid bronchoscopy

To reach a foreign body just millimeters out of reach?

To cut an in-grown stent into pieces for easier removal?

These wishes from surgeons and physicians drove the development of a new family of instrumentation for rigid bronchoscopy.

Richard Wolf is pleased to offer three new forceps that feature an articulating distal tip, each a masterpiece of its own.

Reach the Unreachable – with TipControl



# TipControl = Articulating

An articulating distal tip (up to 54°) on all three **TipControl** versions allows users to reach difficult areas in rigid bronchoscopy.

# TipControl = Ergonomic

The **TipControl** handle offers the perfect combination of stability and ergonomics. Users no longer experience painful, fatigued hands after long periods of use.

## TipControl = Rotatable

All three **TipControl** models feature a 360° rotatable shaft, allowing the user to set and lock the angle of the jaw opening, allowing precise targeting of the desired anatomy and pathology.



## TipControl = Adaptable

Not everyone is the same — the thumb lever on the **TipControl** handle for tip articulation can easily be switched from side to side for use by both left- and right-handed users.



Ablate Grasp Manipulate Cut Remove

# **TipControl Biopsy forceps**

The articulating **TipControl biopsy forceps** allow easy extraction of hard-to-reach pathologies in the trachea and bronchi.

Granulation tissue that has grown around stents can also be easily targeted and removed with the articulating, cutting cup forceps – a true advantage over traditional biopsy forceps.



# **TipControl Grasping forceps**

Designed not only for removal of foreign bodies, the **TipControl grasping forceps** features a powerful, single-action, serrated jaw which allows manipulation and quick removal of both silicone and Nitinol tracheal and Y-stents, as well as foreign bodies.

The handle features a jaw locking mechanism that ensures a constant grip for optimal stent removal.

# **TipControl Scissors**

The one-of-a-kind, articulating **Tip-Control Scissors** offers a new dimension in the removal of Nitinol stents. The in-grown or damaged metal stents can be effortlessly targeted and cut for quick and easy removal.

This is also made possible by an extremely durable cutting surface of the scissors, which withstand the stress of cutting metal stents.

The articulating tip allows the scissors to be optimally positioned for cutting out the stent.



spirit of excellence

# **TipControl**

# The first articulating forceps for rigid bronchoscopy

**TipControl Biopsy Forceps** adjustable jaw section, OD = 5.2 mm, WL = 481 mm, with irrigation connector ..... **TipControl Grasping Forceps** adjustable jaw section, OD = 5.2 mm, WL = 483 mm, with irrigation connector ..... .823400002 **TipControl Scissors** adjustable jaw section, OD = 5.2 mm, WL = 480 mm, with irrigation connector ......823400003

# **TEXAS Tracheo-Bronchoscope**

The TipControl forceps were developed for use under direct visualization with the integrated optics of the Texas Bronchoscopy system.

# Semirigid Endoscope, "TEXAS"

Direction of view 12°, with integrated lens irrigation and protective sheath, (15208.289) ......82510.1400

#### Bronchoscope Tube, Size 6

with distal viewing windows WL = 305 mm ......82520.0641

# **Bronchoscope Tube, Size 8**

with distal viewing windows WL = 310 mm ......82520.0841 without windows ......82520.0842

#### Bronchoscope Tube, Size 10

with distal viewing windows WL = 318 mm .......82520.1041

#### Bronchoscope Tube, Size 12

with distal viewing windows WL = 325 mm .......82520.1241

## Bronchoscope Tube, Size 14

with distal viewing windows WL = 330 mm ......82520.1441

#### Tracheoscope Tube, Size 8

WL = 295.5 mm ......825210830

### Tracheoscope Tube, Size 10

WL = 300 mm ......825211030

## Tracheoscope Tube, Size 12

WL = 300 mm ......825211230

#### Tracheoscope Tube, Size 14

WL = 300 mm ......825211430

